



COPYRIGHT © 2009 EMCON
 ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC, MECHANICAL, PHOTOCOPYING, RECORDING OR OTHERWISE, WITHOUT THE PERMISSION IN WRITING FROM EMCON.



ITEM	DESCRIPTION	QTY	REMARKS
1	PG CLAMP	9	P.L.F. 2674-2B
2	DEAD END	6	P.L.F. AOE 280
3	THIMBLE CLEVIS	6	P.L.F. MTC70
4	LONGROD INSULATOR	6	CULLINAN EP 1044, 1200 CREEPPAGE
5	PIN	6	GALVANISED MILD STEEL
6	STRAN A-FRAME	1	SEE DWG NO. STD.-MVAF-11
7	BOLTS & WOOD POLE WASHERS	8	CULLINAN V37 COMPLETE
8	SURGE DIVERTER	3	AB CHANGE JOSSELVA J924 10RS
9	TRANSFORMER MOUNTING BRACKET	1	RATING AS SPECIFIED
10	TRANSFORMER MOUNTING BRACKET	1	SEE DWG NO. STD.-MVAF-11
11	M.V. EARTH CONDUCTOR	20m	3/4.00mm STAY WIRE
12	POLE EARTH CONDUCTOR	10m	BARE COPPER CONDUCTOR 70mm ²
13	SADDLES	10	
14	KICK PIPE	3x3m	HDPE 50mm ϕ
15	STAPLES	4	3x32mm HOT DIP GALVANISED
16	EARTH SPIKE	4	1.2m LONG - 16mm ϕ
17	GOFFER JUMPERS	6x5m	GOFFER ALUMINIUM CONDUCTOR
18	TRANSFORMER BUSHINGS	3	SUPPLIED WITH TRF
19	TERMINATION LUGS	3	ALUMINIUM TO BRASS 70x16
20	WOODEN POLE	1	11m LONG WITH TOP 160mm ϕ
21	OMITTED	1	
22	POLE MOUNTED METER BOARD	1	INSTALLED BY NAMPOWER
23	SUPPLY TO CONSUMER	-	SIZE AS SPECIFIED
24	OMITTED		
25	OMITTED		
26	OMITTED		
27	OMITTED		
28	POLE CAP		
29	ANGER PLATE		

- NOTES:**
1. ALL FABRICATED ITEMS, BOLTS, NUTS AND WASHERS SHALL BE HOT DIPPED GALVANISED TO SABS 763.
 2. ALUMINIUM OXIDE GREASE SHALL BE USED ON ALL CLAMPS FOR CORROSION PROTECTION.

ELECTRICITY CONTROL BOARD



Box 2923
 Windhoek
 NAMIBIA
 Tel: (061) 374300
 Fax: (061) 374305

DRAWING TITLE
 MEDIUM VOLTAGE BARE OVERHEAD DISTRIBUTION
 DISTRIBUTION TRANSFORMER STRUCTURE,
 SINGLE POLE MOUNTING FOR INTERMEDIATE
 STRUCTURE

DESIGNED: A.K
DRAWN: J.W.S
REV: 01-2001
DRAWING No: STD-MVAF-33kV-22
SCALE: N.T.S

ERROR: syntaxerror
OFFENDING COMMAND: --nostringval--

STACK:

/Title
()
/Subject
(D:20100127142800+02'00')
/ModDate
()
/Keywords
(PDFCreator Version 0.9.5)
/Creator
(D:20100127142800+02'00')
/CreationDate
(johnny)
/Author
-mark-